

multisized pattern...sizes 6/8/10/12/14/16 /18/20/22/24/26 all together!


BEGINNER

**Term & fabric.com exclusive download

Slinky Shrin

You'll adore this super-simple Shrug designed for drapey knits and woven fabrics, and finished with a stretchy rib trim...try rayon, cotton, bamboo or silk knits, or choose soft, drapey wovens like georgette or crepe. Relaxed-fit, batwing-sleeved Shrug has a curved edge-to-edge front and 3/4 length sleeves. The neckline, hem and sleeves are finished with a deep ribbed Wear this fabulously easy shrug to add a little festive glamour to a classic pantsand-T-shirt look, or slip it on over your favorite party dress for a little extra

All patterns & styles copyright www.hotpatterns.com/ Hanson Design Group Inc 2005-2009



出出	出	出	出	H	H	H	出	THE STATE OF THE S	1E	
\dashv		\vdash	\vdash		\vdash	\vdash	\vdash			
ರ ರ	ರ	ರ	ರ	ರ	ರ	ರ	ರ	\supset	\supset	
26 24	22	20	∞	16	4	7	9	8	9	
ШШ	E,	Ш	ш	ш	ш	ш	ш	Ш	Ш	
ZZ				ZIS	7		7	Z		
SS	C	S	S	S	נט	S	S	S	S	

Hot Patterns & fabric.com

exclusive free download

back hem ribbing
cut 1 on fold in rib
<<<STRETCH DIRECTION>>>

FOLD

HotPatterns &

exclusive free description slinky shrughter back cut 1 on fold in

<<<STRETCH DIRE

Hot Patterns & fabric.com

exclusive free download slinky shrug instructions page 1 of 2

SEAM ALLOWANCES & OTHER INFO

Seam allowances are 3/8" wide; all seams are sewn right sides together unless otherwise stated.

Hem, neckline and sleeves on the Shrug are finished with a doubled rib knit trim.

Skills needed include: sewing with knits (it's easy!); attaching a rib trim.

ABOUT THIS STYLE

This Shrug has an unfitted, very relaxed silhouette.

Although this pattern is designed for a knit, this is one of those rare styles when you can use a woven fabric too...just remember


1) your chosen fabric MUST be drapey, not stiff;

2) you MUST use ribbing to edge the hem, neckline and sleeves.


Oh yes, as always, make & fit a muslin before you cut into your fabric...in this case, use a cheap knit with a similar drape to your chosen fabric.

SUGGESTED CUTTING LAYOUT FOR THE TOP

fold fabric in half, with selvedge to selvedge for this layout




SUGGESTED CUTTING LAYOUT FOR THE RIB TRIM fold ribbing in half, with selvedge to selvedge for this layout




FABRIC & NOTIONS REQUIRED

You'll need around 1 yard/ 90 cm of 60"/150cm wide fabric and 26"/66 cm of 60"/150cm wide ribbing.

2a Join the front rib pieces along the straight edges.




1 Start by preparing the sleeve ribbing.



Press the seam open, then fold your loop lengthways, or, raw edge to raw edge.

2b Join the back rib piece to the fronts.




Press the seams open, and fold the strip in half lengthways, so the seams are inside.

Hot Patterns & fab

exclusive free down slinky shrug front ribbing cut 1 pair in rib


<<<STRETCH DIRECTIO



SIZE 26 CUT HERE
SIZE 24 CUT HERE
SIZE 22 CUT HERE
SIZE 18 CUT HERE
SIZE 16 CUT HERE
SIZE 14 CUT HERE
SIZE 12 CUT HERE
SIZE 12 CUT HERE
SIZE 10 CUT HERE

PrintTemp -- Col: 2 Row: 4 -- 10 of 26


SIZE 6 CUT HERE	SIZE 8 CUT HERE		! ! !	! Н	SIZE 18 CUT HERE		24 CUT HE	26 CUT HE] - -))	



fabric.com


lownload ug

n fabric



instructions page 2 of 2


Join the fronts to the back along the shoulder seams. and press the seams open.



Join the fronts to the back along the side seams. and press the seams open.



3



Add the rib trim to the sleeves; fold your sleeve ribbing in half using the seam as one edge, and mark your halfway point with a pin. 5a


Do the same thing to the bottom edge of the sleeve...use the underarm seam aand the overarm seam as your halfway points.

5b

Now join the sleeve ribbing to the sleeve edge.

Match the 2 pins on the sleeve ribbing to the under & overarm seams at the bottom of the sleeves.

Sewing through all thicknesses, join the sleeve ribbing to the sleeve edges, stretching the ribbing to match the sleeve as you go.




Press the seam allowances up into the sleeve.

6a

Add the rib trim to the neckline: fold your neckline ribbing in half lengthways, and pin or baste the rib into place like this:

Match the center seam on the neckline rib to the center back neck on the shrug.

Match the side seams on the back hem rib to the side seams at the hemline on the shrug




Join the neckline ribbing to the shrug neckline & hemline, 4b stretching the ribbing to match the neckline & hemline as you go.


Don't forget, you're sewing through all thicknesses.

Press the seam allowances towards the body of the shrug.

To complete the shrug, gently gather the ribbing at the center $4c^{\text{back seam.}}$ Once the ribbing has gathered to your linking (try the shrug on to see!) stitch the gathers into place along the ribbing's center back seam.




Now. how stunning do you look in this?



PrintTemp -- Col: 3 Row: 1 -- 14 of 26

ric.com load






Hot Patter


exclusiv sli


cut 1 c


<<<STRET

PrintTemp -- Col: 3 Row: 4 -- 17 of 26












ns & fabric.com

e free download nky shrug front n fold in fabric

CH DIRECTION>>>



Patterns & fabric.com

exclusive free download slinky shrug sleeve ribbing cut 1 pair in rib

<STRETCH DIRECTION>>>